



Inclined cup

The light outlet reduces the retention of light, resulting in clean and neat light output.



Curved cup

The uniform transition of light from the inside out, like a gypsum lamp, has a certain decorative effect on the ceiling.




SIZE LINEUP




Cut: 55 65 75

Beam Angle: Narrow Medium Wide Extra wide

C C T : ○ 2700K ○ 3000K ○ 3500K ○ 4000K ○ 5000K ○ 2700-6000K





- Colour(Front ring)
- Standard
 - Non-standard
 - WHITE
 - BLACK

- IP rate
- Standard
 - Non-standard
 - IP20
 - IP54

- CCT
- Standard
 - Non-standard
 - 2700K
 - 3000K
 - 3500K
 - 4000K
 - 5000K
 - 2700-6000K


- Control
- Standard
 - Non-standard
 - ON/OFF
 - DALI
 - 0/1-10V
 - TRIAC
 - BLUETOOTH
 - ZIGBEE
 - CASAMBI

DEEP 11524

LED 4.5W/6.5W/8W (CITIZEN LED)


LED Power	System Power	LED Output	System Output	Beam	CCT	CRI	Drive
6.5W	7W	621lm	508lm	20°	3000K	> 90	32V 200mA
6.5W	7W	621lm	547lm	30°	3000K	> 90	32V 200mA
6.5W	7W	621lm	568lm	36°	3000K	> 90	32V 200mA
6.5W	7W	621lm	487lm	45°	3000K	> 90	32V 200mA
8W	9W	822lm	606lm	20°	3000K	> 90	32V 250mA
8W	9W	822lm	614lm	30°	3000K	> 90	32V 250mA
8W	9W	822lm	682lm	36°	3000K	> 90	32V 250mA
8W	9W	822lm	618lm	45°	3000K	> 90	32V 250mA

Light Distribution



Colour(Reflector)

- Standard
- Non-standard
- Black
- Grey
- White
- Golden
- Wood grain
- Bronze



- Colour(Front ring)
- Standard
 - Non-standard
 - WHITE
 - BLACK

- IP rate
- Standard
 - Non-standard
 - IP20
 - IP54

- CCT
- Standard
 - Non-standard
 - 2700K
 - 3000K
 - 3500K
 - 4000K
 - 5000K
 - 2700-6000K


- Control
- Standard
 - Non-standard
 - ON/OFF
 - DALI
 - 0/1-10V
 - TRIAC
 - BLUETOOTH
 - ZIGBEE
 - CASAMBI

DEEP 11526

LED 4.5W/6.5W/8W (CITIZEN LED)


LED Power	System Power	LED Output	System Output	Beam	CCT	CRI	Drive
6.5W	7W	621lm	508lm	20°	3000K	> 90	32V 200mA
6.5W	7W	621lm	547lm	30°	3000K	> 90	32V 200mA
6.5W	7W	621lm	568lm	36°	3000K	> 90	32V 200mA
6.5W	7W	621lm	487lm	45°	3000K	> 90	32V 200mA
8W	9W	822lm	606lm	20°	3000K	> 90	32V 250mA
8W	9W	822lm	614lm	30°	3000K	> 90	32V 250mA
8W	9W	822lm	682lm	36°	3000K	> 90	32V 250mA
8W	9W	822lm	618lm	45°	3000K	> 90	32V 250mA

Light Distribution



Colour(Reflector)

- Standard
- Non-standard
- Black
- Grey
- White
- Golden
- Wood grain
- Bronze




DEEP 10804

LED 6.5W/8W/9.5W (CITIZEN LED)

LED Power	System Power	LED Output	System Output	Beam	CCT	CRI	Drive
8W	9W	822lm	625lm	15°	3000K	> 90	32V 250mA
8W	9W	822lm	629lm	24°	3000K	> 90	32V 250mA
8W	9W	822lm	683lm	36°	3000K	> 90	32V 250mA
8W	9W	822lm	652lm	60°	3000K	> 90	32V 250mA
9.5W	11W	951lm	751lm	15°	3000K	> 90	32V 300mA
9.5W	11W	951lm	754lm	24°	3000K	> 90	32V 300mA
9.5W	11W	951lm	820lm	36°	3000K	> 90	32V 300mA
9.5W	11W	951lm	782lm	60°	3000K	> 90	32V 300mA

Light Distribution



Colour(Reflector)

● Standard
○ Non-standard



Colour(Front ring)

● Standard
○ Non-standard

WHITE ●
BLACK ●

IP rate

● Standard
○ Non-standard

IP20 ●
IP54 ●

CCT


● Standard
○ Non-standard

2700K ●
3000K ●
3500K ●
4000K ●
5000K ●
2700-6000K ●

Control

● Standard
○ Non-standard

ON/OFF ●
DALI ●
0/1-10V ●
TRIAC ●
BLUETOOTH ○
ZIGBEE ○
CASAMBI ○




DEEP 10806

LED 6.5W/8W/9.5W (CITIZEN LED)

LED Power	System Power	LED Output	System Output	Beam	CCT	CRI	Drive
8W	9W	822lm	625lm	15°	3000K	> 90	32V 250mA
8W	9W	822lm	629lm	24°	3000K	> 90	32V 250mA
8W	9W	822lm	683lm	36°	3000K	> 90	32V 250mA
8W	9W	822lm	652lm	60°	3000K	> 90	32V 250mA
9.5W	11W	951lm	751lm	15°	3000K	> 90	32V 300mA
9.5W	11W	951lm	754lm	24°	3000K	> 90	32V 300mA
9.5W	11W	951lm	820lm	36°	3000K	> 90	32V 300mA
9.5W	11W	951lm	782lm	60°	3000K	> 90	32V 300mA

Light Distribution



Colour(Reflector)

● Standard
○ Non-standard



Colour(Front ring)

● Standard
○ Non-standard

WHITE ●
BLACK ●

IP rate

● Standard
○ Non-standard

IP20 ●
IP54 ●

CCT


● Standard
○ Non-standard

2700K ●
3000K ●
3500K ●
4000K ●
5000K ●
2700-6000K ●

Control

● Standard
○ Non-standard

ON/OFF ●
DALI ●
0/1-10V ●
TRIAC ●
BLUETOOTH ○
ZIGBEE ○
CASAMBI ○




DEEP 10933

LED 8W/9.5W/11W (CITIZEN LED)

LED Power	System Power	LED Output	System Output	Beam	CCT	CRI	Drive
9.5W	11W	951lm	782lm	15°	3000K	> 90	34V 200mA
9.5W	11W	951lm	778lm	24°	3000K	> 90	34V 200mA
9.5W	11W	951lm	811lm	36°	3000K	> 90	34V 200mA
9.5W	11W	951lm	667lm	60°	3000K	> 90	34V 200mA
11W	13W	1087lm	894lm	15°	3000K	> 90	34V 250mA
11W	13W	1087lm	889lm	24°	3000K	> 90	34V 250mA
11W	13W	1087lm	927lm	36°	3000K	> 90	34V 250mA
11W	13W	1087lm	764lm	60°	3000K	> 90	34V 250mA

Light Distribution



Colour(Reflector)

● Standard
○ Non-standard



Colour(Front ring)
● Standard
○ Non-standard

WHITE ●
BLACK ●

IP rate
● Standard
○ Non-standard


IP20 ●
IP54 ●

CCT
● Standard
○ Non-standard

2700K ●
3000K ●
3500K ●
4000K ●
5000K ●
2700-6000K ●

Control
● Standard
○ Non-standard

ON/OFF ●
DALI ●
0/1-10V ●
TRIAC ●
BLUETOOTH ○
ZIGBEE ○
CASAMBI ○




DEEP 10935

LED 8W/9.5W/11W (CITIZEN LED)

LED Power	System Power	LED Output	System Output	Beam	CCT	CRI	Drive
9.5W	11W	951lm	782lm	15°	3000K	> 90	34V 200mA
9.5W	11W	951lm	778lm	24°	3000K	> 90	34V 200mA
9.5W	11W	951lm	811lm	36°	3000K	> 90	34V 200mA
9.5W	11W	951lm	667lm	60°	3000K	> 90	34V 200mA
11W	13W	1087lm	894lm	15°	3000K	> 90	34V 250mA
11W	13W	1087lm	889lm	24°	3000K	> 90	34V 250mA
11W	13W	1087lm	927lm	36°	3000K	> 90	34V 250mA
11W	13W	1087lm	764lm	60°	3000K	> 90	34V 250mA

Light Distribution



Colour(Reflector)

● Standard
○ Non-standard



Colour(Front ring)
● Standard
○ Non-standard

WHITE ●
BLACK ●

IP rate
● Standard
○ Non-standard

IP20 ●
IP54 ●

CCT
● Standard
○ Non-standard

2700K ●
3000K ●
3500K ●
4000K ●
5000K ●
2700-6000K ●

Control
● Standard
○ Non-standard

ON/OFF ●
DALI ●
0/1-10V ●
TRIAC ●
BLUETOOTH ○
ZIGBEE ○
CASAMBI ○